

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	118	model with network and virtual adj ip	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:43
L2	63	1 and (@ad<"20001031" or @prad<"20001031" or @rlad<"20001031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:26
L3	1	"5175800".pn. and host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 12:46
L4	102	IP adj address and @pd<"19950101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:07
L5	46	IP adj address and @pd<"19930101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:07
L6	17	IP adj address and @pd<"19900101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:08
L7	44	IP adj address and (@ad<"19900101" or @rlad<"19900101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:08
L8	15	IP adj address and (@ad<"19870101" or @rlad<"19870101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:09
L9	16	IP adj address and (@ad<"19870323" or @rlad<"19870323")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:26
L10	463	virtual adj ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:26

L11	223	10 and (@ad<"20001031" or @prad<"20001031" or @rlad<"20001031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:27
L12	235	10 same (model\$3 or manag\$5 or configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:27
L13	125	12 and (@ad<"20001031" or @prad<"20001031" or @rlad<"20001031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:27
L14	139	10 with (model\$3 or manag\$5 or configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:27
L15	71	14 and (@ad<"20001031" or @prad<"20001031" or @rlad<"20001031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:58
L16	45	15 and firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:38
L17	39	14 and (@ad<"19991031" or @prad<"19991031" or @rlad<"19991031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:52
L18	21	17 and firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:41
L19	22	(configur\$5 near4 network).ti,ab. and virtual adj ip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:51
L20	0	(configur\$5 near4 ip adj network).ti,ab. and virtual adj ip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:51

L21	34	(configur\$5 near4 ip adj network).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:52
L22	5	21 and (@ad<"19991031" or @prad<"19991031" or @rlad<"19991031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:53
L23	288	(configur\$5 near4 network).ti. and (ip adj address or virtual adj ip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:53
L24	94	23 and (@ad<"19991031" or @prad<"19991031" or @rlad<"19991031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:53
L25	1	(configur\$5 near4 network).ti. and (ip adj address and virtual adj ip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:56
L26	64	(configur\$5 near2 network).ti,ab. and (virtual adj (address or ip))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 11:57
L27	12	((configure or configuring) near2 network).ti,ab. and (virtual adj (address or ip))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 12:00
L28	4	27 and (@ad<"20001031" or @prad<"20001031" or @rlad<"20001031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 12:00
L29	168	((configure or configuring) near2 network) and (virtual adj (address or ip))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 12:00
L30	44	((configure or configuring) with network).ti,ab. and (virtual adj (address or ip))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 12:00

L31	29	30 and (@ad<"20001031" or @prad<"20001031" or @rlad<"20001031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 12:01
L32	1	"5175800".pn. and software	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 13:29
L33	1	"6801949".pn. and monitor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 13:29

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S62	605	configur\$5 near3 (entire\$2 or whole or complete\$2) near3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 16:36
S63	72	(configur\$5 near3 (entire\$2 or whole or complete\$2) near3 network).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 16:36
S64	50	S63 and (@ad<"20001031" or @prad<"20001031" or @rlad<"20001031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 16:48
S65	0	("2002/0143904").URPN.	USPAT	OR	ON	2005/06/14 16:46
S66	1	("6247049").URPN.	USPAT	OR	ON	2005/06/14 16:47
S67	1644	design\$3 near5 computer near2 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 16:48
S68	349	S67 same (implement\$5 or configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 16:48
S69	32	S68.ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 16:48
S70	20	S69 and (@ad<"20001031" or @prad<"20001031" or @rlad<"20001031") not S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 09:43

Google.com Search

"electronics workbench" configure network

network configuration model

network configuration model one-click

"network configuration "model

"network configuration" model "configuration file"

configure (entire or whole) network model